



RHODE ISLAND
DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

235 Promenade Street, Providence, RI 02908-5767 TDD 401-222-4462

August 5, 2016

THOMAS HOLT
WINDMILL PARTNERS LLC
STATE ST FINANCIAL CENTER, 1 MAIN ST
BOSTON, MA 02111

RE: Underground Storage Tank Closure; Facility ID#4592
WINDMILL PARTNERS, LLC, 132 EAST MAIN RD, MIDDLETOWN RI

Dear THOMAS HOLT:

The Office of Waste Management has reviewed the "Permanent Closure Application For Underground Storage Tank (s)" for the above-referenced property. The following UST(s) are approved to be closed on Thursday, August 11, 2016:

UST ID#	VOLUME	STORED MATERIAL	METHOD OF CLOSURE	ACTION REQUIRED
002	500	Waste Oil	Remove from Ground	Closure Assessment Required

All USTs are to be removed and handled as described in the closure application. This approval letter along with a copy of the UST Closure Application must accompany the tank(s) during transit to the proper disposal facility.

IF ANY CONTAMINATION IS FOUND IN THE VICINITY OF OR AROUND THE SUBJECT UST(S), IMMEDIATE NOTIFICATION TO THIS OFFICE IS REQUIRED (401-222-2797).

This closure requires the submittal of a closure assessment report prepared by an environmental consultant with appropriate certifications within 30 days. The consultant must be present during all closure activities to properly conduct the closure assessment. Failure to have a consultant present as required by the UST regulations will result in cancellation and rescheduling of the closure. A closure certificate will not be issued until the above documentation has been received, reviewed, and approved by this inspector.

You or your representative must contact the DEM inspector, JILLIAN THOMPSON, on the day of the UST closure to confirm the inspection time. The inspector can be reached at (401) 222-2797, extension 7031 (office number) or 401-473-6896 (field mobile phone).

Sincerely,

Kevin Gillen, Supervising Engineer
UST Management Program
Office of Waste Management

cc: LEW REED, SAGE ENVIRONMENTAL, INC.
JEFFREY D'ARRIGO, SAGE ENVIRONMENTAL, INC.